12256 GUI or (user adj interface) and window and (click\$5 or mouse) and event and response USPAT; USP	4	 			· - · · · · · · · · · · · · · · · · · ·
2	L Number	Hits	Search Text	DB	Time stamp
2	1	12256			2004/05/27 07:26
2 4008 (((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/s cds. or 345/s cds.) 3027 ((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/s cds. or 345/s cds.) 3 (((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/s cds. or 345/s cds.) 3 ((((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) 3 ((((((GUI or (user adj interface))) and window and (click\$5 or mouse) 3 ((((((GUI or (user adj interface))) and window and (click\$5 or mouse) 3 ((((((((((((((((((((((((((((((((((İ	mouse) and event and response		
2 4008 ((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat§5 or (revisis§4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) ((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat§5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat§5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat§5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (toth chaes? (record or file)) or (file or data) near insurance)) 8					
2004/05/27 07:25 2004/05/27					
3027 (((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/8.cds. or 345/8.cds.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/8.cds. or 345/8.cds.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/8.cds. or 345/8.cds.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (2004/05/27 07:07	_	4000	(/GLIL or (upor adjintorface)) and window and (alick\$5 or		2004/05/27 07:25
345/s.ccis.) 345/s.ccis.	4	4000			2004/03/27 07.23
3 3027 ((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/8.cds. or 345/8.cds.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/8.cds. or 345/8.cds.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/8.cds. or 345/8.cds.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 or (revis\$4 or cornect\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (2004/05/27 07:07 0					
3 3027 (((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.cds, or 345/5.cds,) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.cds, or 345/5.cds,) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.cds, or 345/5.cds,) and (GUI or (user adj interface)) and window and (click\$5 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) ((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.cds, or 345/5.cds,) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.cds, or 345/5.cds,) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.cds, or 345/5.cds,) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.cds, or 345/5.cds,) and (GUI or (user adj interface)) and window and (click\$5 or evaluat\$5) and (betch near2 (record or file)) or (claim adj file) or (insurance adj claim)) ((claim adj file) or (insurance adj claim)) ((claim adj file) or (insurance) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (betch near2 (record or file)) or ((file or data) near insurance)) ((claim adj file) or (insurance)) ((claim adj file			- 0.0.4.00.0.,		
3027 (((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and eyend and (click\$5) and (event and response) and (707/\$.ccis. or 345/\$.ccis.) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulats5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (click\$5) and event and response) and emulats5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (click\$5) and event and response) and emulats5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (click\$5) and event and response) and emulats5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (click\$5) and event and response) and emulats5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (click\$5) and event and response) and emulats5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (click\$5) and event and response) and emulats5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent dang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent and response) and emulats6 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent and response) and emulats6 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent and response) and emulats6 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent and response) and emulats6 and (revis\$4 or correct\$6) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent and response) and emulats6 and (revis\$4 or correct\$6) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent and response) and emulats6 and (revis\$4 or correct\$6) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (vent and response) and emulats6 and (revi					
345%.cols.) and (GUI or (user adj interface)) and window and (click\$5) and event and response Service Click\$5 or mouse) and event and response Click\$5 or mouse) and event and response) and (r070%.cols. or 345%.cols.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) Click\$5 or mouse) and event and response) and emulat5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) Click\$5) and event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) Click\$5) and event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) Click\$5) and event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (Click\$5) and event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and ((Click\$5) and event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (click\$5) and event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (event and response) and emulat5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (window same (single near2 click\$5)) and (event same response) and emulat5 and (revis\$4 or correct\$6) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (window same (single near2 click\$5)) and (event same response) and emulat5 and (revis\$6)) and (event same response) and emulat5 and (revis\$6)) and (event same response) and emulat5 and (revis\$6)) and (event same response) and emulat5 and (revis\$6) or correct\$6) and (window same (single near2 click\$5)) and (event same response) and emulat55 and (revis\$6)	3	3027	(((GUI or (user adj interface)) and window and (click\$5 or		2004/05/27 07:42
Cick\$5) and event and response Cick\$5 or Cick\$5) and event and response Cick\$5 or Cick\$5] and event and response) and (roll-cick\$5 or Cick\$5] and event and response) and (roll-cick\$5 or mouse) and event and response) and event and res					
4					
464850 ((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and growth and window and (click\$5 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and (GUI or (user adj interface)) and window and (click\$5 or evaluat\$5)) and ((batch near2 (record or file)) or (claim adj file) or (insurance adj claim)) USPAT; USP-GPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;			(click\$5) and event and response		
mouse) and event and response) and (707/8.ccls. or 345/8.ccls.) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) ((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and ((blatch near2 (record or file)) or (claim adj file) or (insurance adj claim)) ((claim adj file) or (insurance adj claim)) (((((((UI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (((((((((((((((((((((((((((((((((((40.4050			2004/05/07 07:07
345/\$ccts) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or waluat\$5) ((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$ccts. or 345/\$ccts.) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) USPAT; USPGPUB; EPO, UPO; DERWENT; and ((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and ((batch near2 (record or file)) or (claim adj file) or (insurance adj claim)) USPAT; USPGPUB; EPO, UPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO, UPO; DERWENT; I	4	464850			2004/05/27 07:27
Ciclick\$5) and event and response) and emulat\$5 or (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)					
correct\$5 and chang\$4 and (match\$4 or compar\$5 or waluat\$5)					
219 (((((GU) or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707% ccls. or 345% ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) (((((GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and ((click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((batch near2 (record or file)) or (claim adj file) or (insurance adj claim)) USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB					
mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) SPGPUB; EPC. JPC. DERWENT, IBM_TDB					
345/3 ccls.]) and (GUI or (user adj interface)) and window and (click\$\$) and event and response) and emulat\$\$ and (revis\$\$4 or correct\$\$) and chang\$\$4 and (match\$\$4 or compar\$\$5 or evaluat\$\$5)	5	219	((((GUI or (user adj interface)) and window and (click\$5 or		2004/05/27 07:07
C(click\$5) and event and response) and emulait\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluait\$5] C(click\$0] and event and response) and (click\$5 or mouse) and event and response) and (r707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5 or ay45/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluait\$5)) and ((batch near2 (record or file)) or (claim adj file) or (insurance adj claim)) C(claim adj file) or (insurance adj claim) C(claim adj file) or (insurance) C(claim adj file) C(claim					
18M_TDB					
evalual\$5 (((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$ ccls. or 345/\$ ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and (click\$5) and chang\$4 and (match\$4 or compar\$5 or evalual\$5)) and ((blatch near2 (record or file)) or (claim adj file) or (insurance adj claim)) 8				1	
11 23 (((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((batch near2 (record or file)) or (claim adj file) or (insurance adj claim)) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-P				IRM_IDB	
Mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((blatch near2 (record or file)) or (claim adj file) or (insurance adj claim)) 8	ا	22		LISDAT	2004/05/27 07:12
345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and ((batch near2 (record or file)) or (claim adj file) or (insurance adj claim))	0	23			2004/03/21 07.12
Cclick\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (batch near2 (record or file)) or (claim adj file) or (insurance adj claim)) VISPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_T					
or correct(\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((batch near2 (record or file)) or (claim adj file) or (insurance adj claim)) 84 ((claim adj file) or (insurance adj claim)) 8 30 (((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct(\$5)) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and (click\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$6)) and (window same (single near2 click\$5)) and (event same response) 10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (lask near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$6 or evaluat\$5 and (revision or correction) and chan					
7 84 or (insurance adj claim)) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:08 8 30 (((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and ((batch near2 (record or file)) or ((file or data) near insurance)) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:12 9 111376 707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:50 10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:54 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:29 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:44 <td></td> <td></td> <td></td> <td></td> <td></td>					
SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			evaluat\$5)) and ((batch near2 (record or file)) or (claim adj file)	_	
S-PGPUB; EPC; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JP					
8 30 ((((((GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and (707/5.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5 or mouse) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((blotch near2 (record or file)) or ((file or data) near insurance)) 10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) 10 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and mulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match	7	84	((claim adj file) or (insurance adj claim))		2004/05/27 07:08
Sample S				1	
Sample S			,		
8 30 (((((GUI or (user adj interface)) and window and colick\$5 or mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or compar\$5 or evaluat\$5)) and (batch near2 (record or file)) or ((file or data) near insurance)) LSPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:50 11 0 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:54 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2004/05/27 07:29 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
mouse) and event and response) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((batch near2 (record or file)) or ((file or data) near insurance)) 111376 11137	8	30	(((((GUI or (user adi interface)) and window and (click\$5 or		2004/05/27 07:12
345/\$.ccls.)) and (GUI or (user adj interface)) and window and (click\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((batch near2 (record or file)) or ((file or data) near insurance)) 111376					200 1/00/27 07:12
Cclick\$5) and event and response) and emulat\$5 and (revis\$4 or correct\$5) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5)) and ((batch near2 (record or file)) or ((file or data) near insurance)) 111376					
evaluat\$5)) and ((batch near2 (record or file)) or ((file or data) near insurance)) 707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls. 10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT					
111376				IBM_TDB	
9 111376 707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls. 10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5)					
10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 8 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (user adjinterface)) (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM		4440=0		HODAT	0004/05/07 07 57
10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (user adjinterface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 8 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 13 8 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	9	111376	/U//\$.ccis. or 345/\$.ccis. or /U5/\$.ccis.		2004/05/27 07:50
10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 8 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (match\$4 or compar\$5 or evaluat\$5 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 9 004/05/27 07:29 2004/05/27 07:29 2004/05/27 07:49 2004/05/27 07:44					
10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response) 11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 and correction) and chang\$4 and (match\$4 or compar\$5 and correction) and chang\$4 and (match\$4 or compar\$5 and c					
10 54 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and (window same (single near2 click\$5)) and (US-PGPUB; EPO; JPO; adjinterface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (task near9 revis\$5)				1	
interface)) and (window same (single near2 click\$5)) and (event same response) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	10	54	(707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adi		2004/05/27 07:54
(event same response) (groft) ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) (groft) (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5)	'				= 23 33.2. 331
11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT;			, , , , , , , , , , , , , , , , , , , ,	1	-
11 0 ((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 12 PAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				DERWENT;	
adj interface)) and (window same (single near2 click\$5)) and (event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 2004/05/27 07:44 2004/05/27 07:44 2004/05/27 07:44	1			_	
(event same response)) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) EPO; JPO; USPAT; US-PGPUB; EPO; JPO; DERWENT;	11	0			2004/05/27 07:29
correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) To correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) DERWENT; USPAT; US-PGPUB; EPO; JPO; DERWENT;					
evaluat\$5) and (task near9 revis\$5) 7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
7 (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (SPAT; US-PGPUB; compar\$5 or evaluat\$5) and (task near9 revis\$5) EPO; JPO; DERWENT;					
(revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5) US-PGPUB; EPO; JPO; DERWENT;	12	7			2004/05/27 07:44
compar\$5 or evaluat\$5) and (task near9 revis\$5) EPO; JPO; DERWENT;	'-	′			2007/00/2/ 01.44
DERWENT;					
			The state of the s		
				IBM_TDB	

			/	
13	2	((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 and (revision or correction) and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5)) and	USPAT; US-PGPUB; EPO; JPO;	2004/05/27 07:42
		((perform\$6 or execut\$6) near3 (revision or correction) same event)	DERWENT; IBM_TDB	
14	4134	(707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user adjinterface)) and window and (click\$5) and event and response	USPAT; US-PGPUB; EPO; JPO;	2004/05/27 07:42
15	1	((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and (GUI or (user	DERWENT; IBM_TDB USPAT;	2004/05/27 07:43
		adj interface)) and window and (click\$5) and event and response) and ((perform\$6 or execut\$6) near3 (revision or correction) same event)	US-PGPUB; EPO; JPO; DERWENT;	200 1100/27 07:10
16	601	((perform\$6 or execut\$6) near3 (revision or correction) same event)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:43
18	1	((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event) and emulat\$5 and chang\$4 and (match\$4 or compar\$5 or evaluat\$5) and (task near9 revis\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:44
19	1	((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event) and emulat\$5 and (task near9 revis\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:45
20	1	((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event) and (task near9 revis\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 07:45
17	100	(((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/27 07:51
21	0	((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event) and (GUI or (user adj interface)) and (window same (single near2 click\$5)) and (event same response)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:46
22	2	((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event) and (GUI or (user adj interface)) and (window same click\$5) and (event same response)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:49
23	17	((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event) and (GUI or (user adj interface)) and (window) and (event same response)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:49
24	1	(((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or record or save or stor\$4) near4 event) and (GUI or (user adj interface)) and (window) and (event same response)) and (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:51
25	104	(((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or recorded or save or stor\$4) near4 event	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 07:51

``				
26	4	((((perform\$6 or execut\$6) near3 (revision or correction) same event)) and (recording or recorded or save or stor\$4) near4	USPAT; US-PGPUB;	2004/05/27 07:53
		event) and (707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.)	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
27	35	(707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 near2	USPAT;	2004/05/27 07:53
		response	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
28	20	((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 near2	USPAT;	2004/05/27 07:53
		response) and event	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
29	7	(((707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.) and emulat\$5 near2	IBM_TDB USPAT:	2004/05/27 07:55
20	· ·	response) and event) and (GUI or (user adj interface)) and	US-PGPUB:	2004/03/21 01.55
		(event same response)	EPO; JPO;	
ļ			DERWENT;	
	1		IBM TDB	